



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION
NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/pera

Ark Guard LLC.
12640 NE 7th St.
Bellevue, WA. 98005

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Armour AD Pro Self-Adhered Underlayment

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 4.

The submitted documentation was reviewed by Rafael Macedo.

04/16/26



NOA No.: 25-1002.02
Expiration Date: 04/16/31
Approval Date: 04/16/26
Page 1 of 4

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Underlayment
Material: Polypropylene

SCOPE:

This acceptance is for **Armour AD Pro Self-Adhered Underlayment** as described in this Notice of Acceptance; for use with approved prepared roof assemblies where underlayment is specified, designed to comply with the Florida Building Code including the high Velocity Hurricane Zone of the Florida Building Code. (See Limitations Below.)

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Armour AD Pro Self-Adhered Underlayment <i>Manufacturing location #1</i>	3' x 67'	ASTM D 1970	Self-adhering underlayment based on the peel and stick technology.

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
Intertek	105714229COQ-006	ASTM D 1970	02/12/26

MANUFACTURING LOCATION:

1. Langfang City, Hebei Province, China.

BUILDING PERMIT REQUIREMENTS:

Application for building permit shall be accompanied by copies of the following:

1. This Notice of Acceptance.
2. Any other documents required by the Building Official or applicable building code in order to properly evaluate the installation of this material.



APPROVED ASSEMBLIES:

Deck Type 1: Wood, Non-insulated

Deck Description: 19/32” or greater plywood or wood plank

System F: Membrane adhered direct to deck.

Membrane: One ply of **Armour AD Pro Self-Adhered Underlayment**, applied directly to the prepared deck surface. The membrane shall be installed by removing the release liner and pressing firmly in place. All laps shall be properly overlapped and rolled using a heavy pressure roller to ensure full adhesion. Installation shall be in accordance with FBC HVHZ 1518.2.1(1) and manufacturer’s instructions when not in conflict with FBC requirements.

Surfacing: May be used in slate, shake, asphalt shingle roofing, and metal roof applications. Must Comply with applicable Roof Application Standards and Building Codes.
Tile Roofing is not an approved roof covering for use with this assembly.



LABELING:

All membranes or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire rating of this product.
2. **Armour AD Pro Self-Adhered Underlayment** are components used in roof assemblies. Roof assemblies are approved under specific roof system Notice of Acceptance.
3. **Armour AD Pro Self-Adhered Underlayment** may be used with mechanically fastened metal roofing, slate shingles, asphalt shingles, photovoltaic shingles, and composite plastic shingles.
4. **Armour AD Pro Self-Adhered Underlayment** not be left exposed as a temporary roof for longer than 30 days of application.
5. **Armour AD Pro Self-Adhered Underlayment** shall be applied in strict compliance with applicable building code to a smooth, clean and dry surface. This acceptance is for prepared roofing applications. Minimum deck requirements shall be in compliance with the applicable building code and be free of irregularities.
6. **Armour AD Pro Self-Adhered Underlayment** shall not be used in Roof Tile assemblies, nor shall they be hot mopped or be applied over a pre-existing roof membrane as a recover system, refer to manufacturer's literature for product compatibility.
7. **Armour AD Pro Self-Adhered Underlayment** may be used with any approved roof covering Notice of Acceptance listing the National Nail Synthetic Underlayments as a component part of an assembly in the Notice of Acceptance. If the National Nail Synthetic Underlayments are not listed, a request may be made to the Authority Having Jurisdiction (AHJ) or Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.
8. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

END OF THIS ACCEPTANCE

